

Sub

5

10

15

Sub
DI

20

25

30

35

5

15

30

35

[illegible]

Sub
a3

8. ~~A display control method for~~
controlling display of information on a display
screen, comprising the steps of:

5 (a) changing a display on a display screen
from a first display region to a second display
region by a scrolling process; and

(b) returning the display to said first
display region in response to a cancellation of the
scrolling process.

10

15 9. The display control method as claimed
in claim 8, wherein both said first display region
and said second display region are displayed within
a single window which is displayed on the display
screen.

D/

20

10. The display control method as claimed
in claim 8, wherein said first display region is
25 formed by one window within a multi-window which
includes a plurality of windows, and said second
display region is formed by another window within
said multi-window.

30

Sub
a4

11. ~~The display control method as claimed~~
in claim 8, which further comprises the steps of:

35 (c) ~~setting a mark indicating said first~~
~~display region.~~

12. ~~The display control method as claimed~~
in claim 11, wherein said step (b) displays said
first display region at a position where said mark
is displayed on the display screen.

5

13. The display control method as claimed
in claim 12, wherein said first display region is
formed by a window within a multi-window which
includes a plurality of windows, said second display
region is formed by another window within said
multi-window, and said step (b) displays said first
display region at a position where said one window
including the mark is displayed at a frontmost
position on the display screen.

20

14. The display control method as claimed
in claim 11, wherein said step (c) sets the mark at
a position of a cursor in said first display region.

25

15. A computer-readable storage medium
which stores a program for causing a computer to
control display of information on a display screen,
said program comprising the steps of:

(a) changing a display on a display screen
from a first display region to a second display
region by a scrolling process; and

35

(b) returning the display to said first
display region in response to a cancellation of the

~~scrolling process.~~

5

16. The computer-readable storage medium as claimed in claim 15, wherein both said first display region and said second display region are displayed within a single window which is displayed on the display screen.

10

15

17. The computer-readable storage medium as claimed in claim 15, wherein said first display region is formed by one window within a multi-window which includes a plurality of windows, and said second display region is formed by another window within said multi-window.

20

25

18. ~~The computer-readable storage medium~~ as claimed in claim 15, wherein the program further comprises the steps of:

(c) setting a mark indicating said first display region.

30

35

19. The computer-readable storage medium as claimed in claim 18, wherein said step (b) displays said first display region at a position where said mark is displayed on the display screen.

10

21. The computer-readable storage medium
15 as claimed in claim 18, wherein said step (c) sets
the mark at a position of a cursor in said first
display region.

20

25

30

35